Vet Series Monthly Flea, Intestinal & Heartworm Treatment



for dogs over 25 kg

Label





•the treatment and prevention of fleas (Ctenocephalides spp). Reduces the incidence of Flea Allergy Dermatitis. Larval flea stages are killed in the surroundings of EXELPET™ Vet Series™ Monthly Flea, Intestinal & Heartworm Treatment treated pets; the prevention of heartworm (Dirofilaria immitis) infection

For the treatment and control of:

Roundworm (Toxocara canis, Toxascaris Jeonina) kills larval (14), immature and adult worms.

Hookworm (Ancylostoma caninum, Ancylostoma braziliense [this hookworm is
usually restricted to tropical areas in Australia], Ancylostoma ceylanicum, Uncinaria
stenocephala), kills larval (14), immature and adult worms of all species. Whipworm (Trichuris vulpis);

Generalised demodicosis (Demodex canis); Sarcoptic mange (Sarcoptes scabiei); Ear mites (Otodectes cynotis);

Lice (Trichodectes canis, Linognathus setosus) for up to 6 weeks; in dogs.

One application lasts for a month. Water resistant formulation

DIRECTIONS FOR USE: Contraindications: DO NOT apply to cats.

Precaution:

Use with caution in sick, debilitated or underweight animals. This product may be safely applied to heartworm infected dogs. However a diagnostic test for heartworm prior to comme

nearworm interced days. However a diagnostic test on heartworm plan to Commencement of treatment is recommended to ensure the optimum health of dogs. The liquid vehicle in this product may discolour or damage certain surfaces and fabrics eg polished floorboards, leather etc. Exclude the animal from contact with such surfaces until the product dries on the animal's coat.

Side Effects: Occasionally hair loss may occur at the application site. This is usually a single occurrence and hair will



Instructions



exelpet

Dosage and Administration: For external use only Do not give product by mouth One tube treats dogs 25kg – 40kg bodyweig Two tubes treat dogs over 40kg bodyweight

Application:

Hold tube upright and pull off teap. Reverse the cap and push cap back on tube. Twist cap to break seal, then remove on from tube. Apply by dividing the dose between the shoulder blades, on the midline of the back between the hips and as one point in between. The animal should be standing for easy application. Remove any collar prior to application and replace when product is day. Part the hair until the skin is visible. Place the up of the tube on the skin and squeeze the tube firmly twice to apply the solution directly on the skin. Avoid get sizes or mouth.









Repeat monthly or as directed.
This product remains effications following shampoo treatment, swimming or exposure to rain. If washing animal during use of this product use a scap free shampoo.
Treatment for heartworm should occur regularly at monthly intervals.

FLEA CONTROL AND PREVENTION

Treatment of pers with this product rapidly kills fleas and reduces the incidence of flea allergy dermatitis (FAD). This product may be used as the only product for flea comrol as it breaks the fife-yole and kills fleas emerging from the environment. More rapid resolution of heavy environmental infestations may be obtained by additional environmental control measures using a suitable registered product.

HEARTWORM PREVENTION Treatment with this product should start one month before the first exposure to mosquitoes and must be applied at one monthly intervals to maintain continuous year-round protection. When replacing another heartworm preventive product, the first treatment with this product must be given within one month of the last dose of the previous product.

MILEO EGINENWI INFORMATION CHEMICAL THE ASSOCIATION OF THE ASSOCIATION

TREATMENT AND CONTROL OF SARCOPTIC MANGE This product has been shown to eliminate 100% of sarcoptic mites (*Sarcoptics scable*) after a single close. A second close a month later will result in continued improvement of the clinical signs associated with sarcoptic mange. Monthly application will control any subsequent sarcoptic mite infestation.

TREATMENT AND CONTROL OF EAR MITES For the treatment of ear mites (Otodectes cynotis), this product is highly efficacious as a single dose. Monthly application will control any subsequent earmin infestation. To maximize efficacy thorough deaning of the ear canal is recommended with a product that is registered for that purpose or as directed by a veterinarian.

PUPPLES may be treated with this product from 7 weeks of age. For control of roundworms and hookworms puppies require worming at 2.4 and 8 weeks of age. When worming puppies prior to commencing use a specific worming agent such as EXELPET "EZY-DOSE" Intestinal All-Worme Chews for Dogs. Once treatment with this product is commenced every month, worms will be

PRECNANCY AND LACTATION No primary embryo-toxic, teratogenic or reproductive toxic effects have been observed with imidacloprid or movidectrin in laboratory species. Evidence suggests that no adverse effects are to be expected in pregnant and lactating dogs. However, the safety of this product has not been established during pregnancy and lactation.

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

Harmful if swallowed. Will damage the eyes. Repeated exposure may cause allergic disorders. Avoid contact with the eyes. If product in eyes, wash it out immediately with water.



DISPOSAL: Dispose of used applicators by wrapping in paper and placing in garbage.

STORAGE: Store 25°C (Air conditioning) MANUFACTURED IN GERMANY

Exelpet Products
Petcare Place, Wodonga, VIC 3690.

™ Trademark.

© Exelpet Products.

If you would like more information on this product, or on controlling fleas, heart intestinal worms in your dog, or have other queries of any kind, please contact EXELPET Customer Enquiries. Your feedback is important to us. Phone or Post: Australia: Toll Free Phone 1800 806 391; Reply Paid 153 PO Box 153, Wodonga, VIC, 3689. Or visit our website: www.exelpet.com.au